Index to Volume 20, 1983

Acetyl-β-D-glucosaminidase levels and onset of diabetic microangiopathy **15**

Acetylcholinesterase, amniotic fluid, measurement by Ellman method using lysivane as innibitor, potential systematic error **159**

Acid phosphatase, prostatic, properties of native enzyme, and the enzyme-antibody complex **374**

ADAMS A *see* KIRK JM *et al*

Adrenal cortical function, salivary cortisol as better measurement than serum cortisol **329**

Adsorbents for the thyroid hormone uptake test **233**

Ageing, impact, present and future **257**

AIYATHURAI JEJ, WONG HB, QUAK SH, SOTHY SP, CHIO LF, JACOB E and DORAISINGHAM S: Role of glucose homeostatic mechanisms in viral infections **142**

AL-ANSARI AK *see* AL-AWQATI MA *et al*

AL-AWQATI MA, AL-ONEIZI OSM, NASRALLA M, SINLAO D, AL-ANSARI AK and HASSAN M: A simple and economical method for the preparation of adsorbents for the thyroid hormone uptake test **233**

AL-ONEIZI OSM *see* AL-AWQATI MA *et al*

ALAGHBAND-ZADEH J *see* CARTER GD *et al*

Albumin
plasma measurement and bromocresol purple **264**
serum, use of Lucifer yellow VS as label in fluorescent immunoassays **213**

Ames Seralyzer, evaluation, dry reagent tests, potential applications and pitfalls **208**

Ammonia, blood, determination using the Ammonia Checker **187**

Amniotic fluid acetylcholinesterase, measurement by Ellman method using lysivane as inhibitor, potential systematic error **159**

Analytical chemical processes, variance reduction by digital filtering **174**

ANDERSEN M SIGGAARD-*see* SIGGAARD-ANDERSEN M

ANDERSEN N FOGH-*see* FOGH-ANDERSEN N

ANDERSEN O SIGGAARD-*see* SIGGARD-ANDERSEN O

ANSARI AK AL-*see* AL-ANSARI AK *et al*

ANTHONY F, MASSON GM and WOOD PJ: Development of a radioimmunoassay for pregnancy—associated plasma protein A and establishment of normal levels in the first trimester of pregnancy **26**

Anticonvulsant drugs, rapid high-pressure liquid chromatography for simultaneous serum estimation **37**

Antigen:antibody reaction, kinetics **224**

ASHWELL K, HOPTON MR and HARROP JS Serum free thyroxine concentrations in subjects with high circulating levels of thyroxine-binding globulin **285**

ATKINS J *see* WEBB BA *et al*

ATKINSON T *see* BROWN SS *et al*

AWQATI MA AL- *see* AL-AWQATI MA

BAADENHUIJSEN H *see* BESSEMS GJH *et al*

BADENOCH JL *see* O'LEARY TD *et al*

BAILEY MP, ROCKS BF and RILEY C: Use of Lucifer yellow VS as a label in fluorescent immunoassays illustrated by the determination of albumin in serum **213**

BAIRD JD *see* OHWOVORIOLE AE *et al*

BAIS R, HUXTABLE A and EDWARDS JB: Human prostatic acid phosphatase: properties of the native enzyme, and the enzyme-antibody complex **374**
see also O'LEARY TD *et al*

BARBOUR HM *see* BROWN SS *et al*

BARNARD GJ and COLLINS WP: Development of a simple low-cost, continuous-flow system for the automated radioimmunoassay of steroid glucuronides **294**
see also WEERASEKERA DA *et al*

BARR IC *see* HARKNESS RA *et al*

BATSTONE GF *see* COOMBES EJ *et al*
JAMES HC *et al*

BECKETT GJ *see* GRAY SM *et al*

BELFIELD A *see* PLEDGER DR and BELFIELD A

BESSEMS GJH, WESTERHUIS LW and BAADENHUIJSEN H: A comparison of two methods for the determination of thallium in urine **321**

BEYNON L *see* STURGEON CM *et al*

BIJSTER P, VADER HL and VINK CLJ: Influence of erythrocytes on direct potentiometric determination of sodium and potassium **116**

Bile acid profiles, serum, chenodeoxycholic acid administration monitored by, dose -response study **336**

Bilirubinometer, ward side-room, performance and clinical utility **149**

Biochemical and haematological parameters in an industrial workforce **341**

Bisalbuminaemia, fast, in 3 families **86**
genetic, with myeloma **90**

Blood, 7-parameter intralaboratory control, of 4-month stability, preparation and evaluation **302**
transfusion, effect on serum 'cardiac' enzyme activities **157**

BOERMA GJM *see* BRUNNEKREEFT JWI *et al*

Bolton-Hunter and chloramine-T techniques, comparison for the radioiodination of prostatic acid phosphatase **112**

BONANTS PJM *see* JANSEN RTP and BONANTS PJM

BOOK REVIEWS:
Advances in nutritional research. volume 5 1983 **328**
Advances in neuroendocrine physiology. Frontiers of hormone research volume 10. 1982 **191**
AMOS WMG: *Basic immunology* 1981 **63**
BARON DN: *A short textbook of chemical pathology*. 4th edn. 1982 **190**
BASELT RC: *Disposition of toxic drugs and chemicals in man*. 2nd edn. 1982 **192**
BENNETT GW and WHITEHEAD SA: *Mammalian neuroendocrinology* 1983 **256**
BLOOM SR and LONG RG: *Radioimmunoassay of gut regulatory peptides* 1982 **383**

BURSTEIN M and LEGMANN P: *Monographs on atherosclerosis* Volume 11. *Lipoprotein precipitation* 1982 **327**

CHALMERS and LAWSON: *Organic acids in man* 1982 **63**

COHEN MP and FOA PP editors: *Special topics in endocrinology and metabolism*. Volume 3 1982 **63**

DAVIS E editor: *Advances in microcirculation*. Volume 10. Raynaud Features, Acrocyanosis, Cryoimmunoproteins 1982 **63**

EVERED D and COLLINS GM editors: *Membrane recycling*. Ciba Foundation Symposium 92 1982 **255**

GOLDBERG DM editor: *Clinical biochemistry reviews*. Volume 3 1982 **63**

GRANT A and TODD E: *Enteral and parenteral nutrition* 1982 **192**

HARRIS H and HIRSCHHORN K editors: *Advances in human genetics* volume 12 1982 **256**

HEATH and MARX editors: *Calcium disorders*. Clinical Endocrinology volume 2 **191**

HIETANEN E, LAITINEN M and HANNINEN O editors: *Developments in biochemistry*, volume 23. *Cytochrome P450, biochemistry, biophysics and environmental implications* 1982 **254**

IFCC Expert Panel on pH and Blood Gases: *Methodology and physiology of blood gases and pH* 1982 **384**

ISHIZAKA K editor: *Regulation of the IgE antibody response*. Volume 32. Progress in allergy 1982 **64**

Journal of toxicology, Toxin reviews, volume 1 1982 **327**

KRICKA LJ and CARTER TJN editors: *Clinical and biochemical analysis*, volume 12. *Clinical and biochemical luminescence* 1982 **255**

LAJTHA A: *Handbook of neurochemistry* 2nd ed. volume 2 1982 **384**

MOSS DW: *Isoenzymes* 1982 **64**

NATHANSON JA and KEBABIAN JW editors: *Handbook of experimental pharmacology*, volume 58. *Cyclic nucleotides*. Part 1 *Biochemistry*. Part 2 *Physiology and Pharmacology* 1982 **255**

NUCCITELLI R and DEAMER DW editors: *Intracellular pH: its measurement, regulation and utilization of cellular functions* 1982 **190**

Office of Technology Assessment: *Genetic technology: a new frontier* **255**

PRASAD AS editor: *Current topics in nutrition and disease*, volume 6 1982 **383**

RICHENS A and MARKS V: *Therapeutic drug monitoring* 1981 **191**

RUSSELL NJ, POWELL GM, JONES JG, WINTERBURN PJ and BASFORD JM: *Blood biochemistry* 1982 **254**

SCHEUCH D, HASCHEN RJ AND HOFMANN E editors: *Multiple forms of enzymes* 1980 **384**

SERVICE FJ: *Hypoglycemic disorders. Pathogenesis, diagnosis and treatment* 1983 **327**

SHAMBERGER RJ: *Biochemistry of selenium* 1983 **328**

VARMA and VARMA: *Glycosaminoglycans and proteoglycans in physiological and pathological processes of body systems* 1982 **190**

WERNER M editor: *CRC Series in Clinical Laboratory Science*, volume 1 1982 **383**

WOOTON IDP and FREEMAN H: *Microanalysis in medical biochemistry* 1982 **327**

BORTHWICK LJ *see* WHITING PH *et al*

Bromocresol purple and measurement of albumin **264**

BROOKE OG *see* HOWELLS DW *et al*

BROUGHTON PMG *see* CLARK PMS and BROUGHTON PMG

BROWN IRF *see* HOWELLS DW *et al*

BROWN K, GARDNER JJ, LOCKLEY WJS, PRESTON JR and WILKINSON DJ: Radioimmunoassay of sodium cromoglycate in human plasma **31**

BROWN SS, CAMPBELL RS, PRICE CP, RAMBOHUL E, WIDDOP B, BARBOUR HM, ROBERTS JG, BURNETT D, ATKINSON T, SCAWEN MD and HAMMOND PM: Collaborative trial of an enzyme-based assay for the determination of paracetamol in plasma **353**
see also HARKNESS RA *et al*

BRUGMAN AM *see* ZUYDERHOUDT FMJ *et al*

BRUNNEKREEFT JWI, BOERMA GJM and LEIJNSE B: Direct determination of total serum cholesterol by on-column gas-liquid chromatographic analysis without previous derivatisation compared with WHO-CDC Reference Method **360**

BURNETT D *see* BROWN SS *et al*

CALAM DH *see* DAS REG *et al*

Calcium, ionised, measurements
- and dialysable, total, ultrafiltrable, in randomly selected samples compared with clinical diagnoses **349**
- Donnan effect or protein interference in **271**

Calculi, renal, infrared analysis, comparison with conventional techniques **20**

CAMPBELL RS *see* BROWN SS *et al*

'Cardiac' enzyme activities, serum, blood transfusion effect **157**

CARTER GD, HOLLAND SM, ALAGHBAND-ZADEH J, RAYMAN G, DORRINGTON-WARD P and WISE PH: Investigation of hirsutism: testosterone is not enough **262**

CARTER NG *see* TAYLOR GF *et al*

Catecholamines
- radioenzymatic assay, desferrioxamine reversal of aluminium inhibition of enzymatic O-methylation **105**
- urinary metabolites, gas chromatographic determination **289**

CAWOOD M *see* DAS REG *et al*

Chemiluminescence immunoassay, solid-phase, thyroxine serum measurement **100**

Chenodeoxycholic acid administration monitored by serum bile acid profiles, dose-response study **336**

CHIO LF *see* AIYATHURAI JEJ *et al*

CHISHOLM GD *see* STURGEON CM *et al*

Chloramine-T and Bolton-Hunter techniques, comparison for the radioiodination of prostatic acid phosphatase **112**

Cholesterol, total serum, direct determination by on-column gas-liquid chromatographic analysis **360**

Cromatography, affinity, method for measurement of glycosylated haemoglobins **129**

CHURCH JF *see* GIDLOW DA *et al*

Circulating immune complexes, enzyme-linked immunoassay for measurement **163**

CLARK PMS and BROUGHTON PMG: Potential applications and pitfalls of dry reagent tests. An evaluation of the Ames Seralyzer **208**

CLAYTON BE *see* GIDLOW DA *et al*

COLLINS WP *see* BARNARD GJ and COLLINS WP WEERASEKERA DA *et al*

COOK JGH *see* HALL PM *et al*

COOMBES EJ, GAMLEN TR and BATSTONE GF: Effect of temperature on the stability of thyroid stimulating hormone in dried blood spots: short report **252**

COOPER JDH *see* TURNELL DC *et al*

Corning Immunophase Free T_4 assay, accuracy **280**

CORNS CM: Infrared analysis of renal calculi: a comparison with conventional techniques **20**

Cortisol:creatinine, urinary, ratio and hypoglycaemia, relationship between **136**
- salivary, as better measure of adrenal cortical function than serum cortisol **329**
- serum, ^{125}I-radioimmunoassay, comparison of separation methods **312**
- stability in lyophilised human serum **364**

Cystic fibrosis, osmolality and sodium concentrations in heated-cup sweat collections, investigation **369**

DANDONA P, HUSSAIN MAM, VARGHESE Z, POLITIS D, FLYNN DM and HOFFBRAND AV: Insulin resistance and iron overload **77**

DAS REG, CALAM DH, MITCHELL FL, WOODFORD FP, CAWOOD M, GASKELL SJ, JOYCE B, MCMILLAN M and WHEELER MJ: Stability of four steroids in lyophilised human serum **364**

DAVIES SJ and MARKS V: A critical evaluation of a new flourescence immunoassay system for the measurement of serum phenytoin concentrations **274**

Desferrioxamine, reversal of aluminium inhibition of enzymatic O-methylation, catecholamines, radioenzymatic assay **105**

DEVERILL I and LOCK RJ: Kinetics of the antigen:antibody reaction. Light scattering and particle size measurement using photon correlation spectroscopy **224**

Diabetic microangiopathy, N-Acetyl-β-D-glucosaminidase levels **15**

Digital filtering, variance reduction in analytical processes in the clinical laboratory **174**

Digoxin radioimmunoassay kit, assessment using recommended evaluation scheme **169**

Disulphine Blue, effects on routine biochemical investigations **317**

Donnan effect or protein interference in ionised calcium measurements? **271**

DORAISINGHAM S *see* AIYATHURAI JEJ *et al*

DORRINGTON-WARD P *see* CARTER GD *et al*

DOWN RHL *see* WHITING MJ *et al*

Dry reagent tests, potential applications and pitfalls, Ames Seralyzer, evaluation **208**

DUONG T *see* TAYLOR GF *et al*

DURBIN GM *see* EVANS SE and DURBIN GM

EDWARDS JB *see* BAIS R *et al*

Ellman method, measurement of amniotic fluid acetylcholinesterase using lysivane as inhibitor, potential systematic error **159**

EMIT assays, interfacing a microcomputer to a spectrophotometer **221**

ENDO Y, YAMAMOTO I, OHTAKI S, YOSHITAKE S and ISHIKAWA E: An enzyme-linked immunoassay for the measurement of circulating immune complexes **163**

Enzyme assay
- standards versus standardised methods **52**
- 'cardiac', serum activities, effect of blood transfusion **157**
- -linked immunoassay for measurement of circulating immune complexes **163**
- for pregnancy-associated plasma protein A **236**
- for plasma paracetamol determination **353**

Erythrocytes
- haemolysates, γ-Glutamylcysteine synthetase activity, reappraisal **241**
- influence on direct potentiometric determination of sodium and potassium **116**

EVANS SE and DURBIN GM: Aspects of the physiological and pathological background to neonatal clinical chemistry: Scientific review no. 7 **193**

External quality assessment results in three dimensions, analysis **182**

Ferritin protein in human liver, influence of liver *iso*ferritin profile on quantitative measurement **80**

FINE JM *see* PORTA FA *et al*

FITZPATRICK J and MCCLELLAND M: A simple rapid method for determining theophylline in serum by HPLC **123**

Flow-injection analysis with atomic absorption detection, serum iron and total iron-binding capacity determination **72**

Fluorescence immunoassay system for serum phenytoin concentration measurement, evaluation **274**

FLYNN DM *see* DANDONA P *et al*

FOGH-ANDERSEN N *see* THODE J *et al*

FRANCOIS PE *see* GOLDBERG IJL *et al*

GAMLEN TR *see* COOMBES EJ *et al*
JAMES HC *et al*

Gamma-glutamyl transferase, radioimmunoassay using pancreatic enzyme, development **247**

GARDNER JJ *see* BROWN K *et al*

GARRY R *see* WEBB BA *et al*

Gas chromatographic determination, improved, of urinary catecholamine metabolites **289**

GASKELL SJ *see* DAS REG *et al*

GIBB I: Use of a recommended evaluation scheme in the assessment of a new digoxin radioimmunoassay kit **169**

GIDLOW DA, CHURCH JF and CLAYTON BE: Haematological and biochemical parameters in an industrial workforce **341**

GIPS CH *see* HUIZENGA JR and GIPS CH

Glucose homeostatic mechanisms, role in viral infections **142**

Glucuronides, steroid, automated radioimmunoassay, low-cost, continuous flow system **294**

γ-Glutamylcysteine synthetase activity in haemolysates from normal erythrocytes, reappraisal **241**
Glycosylated haemoblobins, affinity chromatography method for measurement **129**
Gold, urinary excretion, effect of penicillamine on blood levels **220**
GOLDBERG IJL, LAWTON K, REDDING JR, FRANCOIS PE and PHULL J: Effect of penicillamine on blood levels and urinary excretion of gold **220**
GOULD BJ *see* HALL PM *et al*
GRAY SM, SETH J and BECKETT GJ: Comparison of separation methods in the ^{125}I-radioimmunoassay of serum cortisol **312**

Haematological and biochemical parameters in an industrial workforce **341**
Haemoglobins, glycosylated, affinity chromatography method for measurement **129**
HALL PM, COOK JGH and GOULD BJ: An inexpensive, rapid and precise affinity chromatography method for the measurement of glycosylated haemoglobins **129**
HALLORAN SP and TORRENS DJ: Effects of the drug Disulphine Blue on routine biochemical investigations **317**
HAMMOND PM *see* BROWN SS *et al*
HARKNESS RA, LAWRENCE CR, RENSHAW A, BARR IC, BROWN SS and RINSLER MG: Assessment of the performance and clinical utility of a ward side-room bilirubinometer **149**
HARROP JS *see* ASHWELL K *et al*
HASSAN M *see* AL-AWQATI MA *et al*
High performance liquid chromatography for determining theophylline in serum **123**
High-pressure liquid chromatography assay of serum anticonvulsants **37**
HILL PG and WELLS TNC: Bromocresol purple and the measurement of albumin **264**
Hirsutism, investigation, use of free androgen index (T/SHBG) **262**
HO KY *see* VINING RF *et al*
HOBBS JR *see* PORTA FA *et al*
HOFFBRAND AV *see* DANDONA P *et al*
HOLLAND SM *see* CARTER GD *et al*
HOPTON MR *see* ASHWELL K *et al*
HOWELLS DW, BROWN IRF, BROOKE OG and NEWEY V: A simple automated injection technique for the high-pressure liquid chromatographic determination of plasma retinol **308**
HUIZENGA JR and GIPS CH: Determination of blood ammonia using the Ammonia Checker **187**
HUSSAIN MAM *see* DANDONA P *et al*
HUXTABLE A *see* BAIS R *et al*
Hypoglycaemia and urinary cortisol:creatinine ratio, relationship between **136**

Industrial workforce, haematological and biochemical parameters **341**
Insulin resistance and iron overload **77**
Intralaboratory control blood, 7-parameter, of 4-month stability, preparation and evaluation **302**
Ionised calcium, *see* Calcium, ionised
Iron overload, insulin resistance **77**
Iron, serum, and total iron-binding capacity determination by flow-injection analysis with atomic absorption detection **72**
ISHIKAWA E *see* ENDO Y *et al*

JACOB E *see* AIYATHURAI JEJ *et al*
JAMES HC, GAMLEN TR and BATSTONE GF: An appraisal of a fluoro-immuno assay technique for the determination of blood theophylline concentration: short report **251**
JANSEN AP *see* JANSEN RTP and JANSEN AP
JANSEN RTP: Comparison of routine analytical methods in the Netherlands for seven serum constituents using pattern recognition **41**
JANSEN RTP and BONANTS PJM: Variance reduction in analytical processes in the clinical laboratory by digital filtering **174**
and JANSEN AP: Standards versus standardised methods in enzyme assay **52**
JOHN R, KADURY S, WOODHEAD JS and PRITCHARD MH: Fenclofenac and thyroid function tests **381**
JÖRNING GGA *see* ZUYDERHOUDT FMJ *et al*
JOYCE B *see* DAS REG *et al*

KADURY S *see* JOHN R *et al*
KARJALAINEN EJ and KARJALAINEN U: Analysis of external quality assessment results in three dimensions **182**
KARJALAINEN U *see* KARJALAINEN EJ and KARJALAINEN U
KIM JB *see* WEERASEKERA DA *et al*
KIRK JM, ADAMS A, WESTWOOD A and MCCRAE WM: Measurement of osmolality and sodium concentrations in heated-cup sweat collections for the investigation of cystic fibrosis **369**
KITAHARA T *see* MASUIKE M *et al*
KNOX J *see* PORTA FA *et al*
KOSAKI G *see* MASUIKE M *et al*

LADIGES NCJJ *see* ZUYDERHOUDT FMJ *et al*
LANDON J *see* SIDKI AM *et al*
LAWRENCE CR *see* HARKNESS RA *et al*
LAWTON K *see* GOLDBERG IJL *et al*
LEIJNSE B *see* BRUNNEKREEFT JWI *et al*
LOMBARTS AJPF *et al*
LESTAS AN and WHITE JM: A reappraisal of the γ-glutamylcysteine synthetase activity in haemolysates from normal erythrocytes by two different methods **241**
LESTER E *see* LYNE MA and LESTER E
Light-scattering immunoassay of specific proteins **1**
LINTHORST C *see* ZUYDERHOUDT FMJ *et al*
Liver *iso*ferritin profile, influence on quantative measurement of total ferritin protein in human liver **80**
LOCK RJ *see* DEVERILL I and LOCK RJ
LOCKLEY WJS *see* BROWN K *et al*
LOMBARTS AJPF: A simple, inexpensive quality control material for Ortho ELT-8 platelet counts **121**
and LEIJNSE B: Preparation and evaluation of a 7-parameter intralaboratory control blood of 4-month stability **302**
Lucifer yellow VS use as label in fluorescent immunoassays **213**

LYNE MA and LESTER E: Effect of blood transfusion on serum 'cardiac' enzyme activities **157**
Lysivane as inhibitor in measurement of amniotic fluid acetylcholinesterase by Ellman method, error in use **159**

MCCLELLAND M *see* FITZPATRICK J and MCCLELLAND M
MCCRAE WM *see* KIRK JM *et al*
MCGINLEY RA *see* VINING RF *et al*
MCMILLAN M *see* DAS REG *et al*
MOORE H and MCMILLAN M
MAKSVYTIS JJ *see* VINING RF *et al*
MARKS V *see* DAVIS SJ and MARKS V
MASON L and WEINKOVE C: Radioenzymatic assay of catecholamines: Reversal of aluminium inhibition of enzymatic O-methylation by desferrioxamine **105**
MASSON GM *see* ANTHONY F *et al*
MASUIKE M, OGAWA M, KITAHARA T, MURATA A, MATSUDA K and KOSAKI G: Development of radioimmunoassay for gamma-glutamyl transferase using pancreatic enzyme **247**
MATSUDA K *see* MASUIKE M *et al*
Microcomputer, interfacing to spectrophotometer for EMIT essays **221**
MITCHELL FL *see* DAS REG *et al*
MOORE H and MCMILLAN M: Development of a filter paper blood spot radioimmunoassay for thyroid stimulating hormone suitable for a regional neonatal screening unit **93**
MORGAN DB: The impact of ageing—present and future **257**
MORTON J: Interfacing a microcomputer to a spectrophotometer for EMIT assays **221**
MUIR AL *see* ROULSTON JE *et al*
MURATA A *see* MASUIKE M *et al*
Myeloma, with genetic bisalbuminaemia **90**

NAIRN IM *see* OHWOVORIOLE AE *et al*
NASRALLA M *see* AL-AWQATI MA *et al*
Neonatal clinical chemistry, physiology and pathology **193**
Neonatal screening unit, thyroid stimulating hormone, filter paper blood spot radioimmunoassay development **93**
NEWEY V *see* HOWELLS DW *et al*

ODANI S *see* YAKATA M *et al*
Oestradiol, stability in lyophilised human serum **364**
OGAWA M *see* MASUIKE M *et al*
OHTAKI S *see* ENDO Y *et al*
OHWOVORIOLE AE, NAIRN IM and BAIRD JD: Relation between the urinary cortisol: creatinine ratio and hypoglycaemia **136**
O'LEARY TD, BADENOCH JL and BAIS R: Optical methods for monitoring temperature in spectrophotometric analysers **153**
ONEIZI OSM AL- *see* AL-ONEIZI OSM
Ortho ELT-8 platelet counts, simple, inexpensive quality control material **121**

Pancreatic enzyme, use in radioimmunoassay for gamma-glutamyl transferase, development **247**
Paracetamol, plasma determination, enzyme-based assay, collaborative trial **353**
Pattern recognition techniques for seven serum constituents, comparison of routine analytical methods, Netherlands **41**
Penicillamine, effect on blood levels and urinary excretion of gold **220**
PERRIER JH: Direct progesterone assays: correspondence **127**
Phenytoin, serum concentrations, new fluorescence immunoassay system, critical evaluation **274**
PHULL J *see* GOLDBERG IJL *et al*
PLEDGER DR and BELFIELD A: An ELISA for pregnancy-associated plasma protein A **236**
POLITIS D *see* DANDONA P *et al*
PORTA FA, RICHES PG, RICHARDSON D, KNOX J, HOBBS JR and FINE JM: Genetic bisalbuminaemia occurring together with myeloma **90**
Potassium and sodium, direct potentiometric determination, erythrocytes influence on **116**
Pregnancy-associated plasma protein A
  enzyme linked immunoassay **236**
  establishment of normal levels in first trimester **26**
PRESTON JR *see* BROWN K *et al*
PRICE CP, SPENCER K and WHICHER J: Light-scattering immunoassay of specific proteins: a review **1**
  see also BROWN SS *et al*
Primidone, direct determination, in serum or plasma by a magnetisable solid-phase fluoroimmunoassay **227**
PRITCHARD MH *see* JOHN R *et al*
Progesterone
  direct assays: correspondence **127**
  stability in lyophilised human serum **364**
Prostatic acid phosphatase
  properties of native enzyme, and enzyme-antibody complex **374**
  radioiodination, Bolton-Hunter and chloramine-T techniques compared **112**
Protein
  A, plasma, pregnancy-associated, enzyme linked immunoassay **236**
  interference or Donnan effect in ionised calcium measurements? **271**
  specific, light-scattering immunoassay **1**

QUAK SH *see* AIYATHURAI JEJ *et al*

Radioimmunoassay
  automated, of steroid glucuronides, simple, low-cost continuous-flow system **294**
  for gamma-glutamyl transferase using pancreatic enzyme, development **247**
  quantitative kit, for free thyroxine, studies on accuracy **280**
  of serum cortisol, comparison of separation methods **312**
RAMBOHUL E *see* BROWN SS *et al*
RATCLIFFE WA: Direct progesterone assays: correspondence reply **127**
RAYMAN G *see* CARTER GD *et al*
REDDING JR *see* GOLDBERG IJL *et al*

Renal calculi, infrared analysis, comparison with conventional techniques **20**
Renin plasma activity, sample collection and processing for assay **217**
RENSHAW A *see* HARKNESS RA *et al*
Retinol, plasma, automated injection technique for high pressure liquid chromatographic determination **308**
RICHARDSON D *see* PORTA FA *et al*
RICHARDSON SJ *see* WEBB BA *et al*
RICHES PG *see* PORTA FA *et al*
RILEY C *see* BAILEY MP *et al*
ROCKS BF *et al*
RINSLER MG *see* HARKNESS RA *et al*
ROBERTS JG *see* BROWN SS *et al*
ROCKS BF, SHERWOOD RA, TURNER ZJ and RILEY C: Serum iron and total iron-binding capacity determination by flow-injection analysis with atomic absorption detection **72**
see also BAILEY MP *et al*
ROSS IS *see* WHITING PH *et al*
ROULSTON JE, WATHEN CG, SANGER B and MUIR AL: Sample collection and processing for the assay of plasma renin activity. A comparison of anticoagulants and inhibitors **217**
ROWELL FJ *see* SIDKI AM *et al*
RUDD BT: Urinary 17-oxogenic and 17-oxosteroids. A case for deletion from the clinical chemistry repertoire **65**

SANGER B *see* ROULSTON JE *et al*
SCAWEN MD *see* BROWN SS *et al*
SETH J *see* GRAY SM *et al*
STURGEON CM *et al*
SHERWOOD RA *see* ROCKS BF *et al*
SIDKI AM, ROWELL FJ and LANDON J: Direct determination of primidone in serum or plasma by a magnetisable solid-phase fluoroimmunoassay **227**
SIGGAARD-ANDERSEN M *see* THODE J *et al*
SIGGAARD-ANDERSEN O *see* THODE J *et al*
SINLAO D *see* AL-AWQATI MA *et al*
Sodium
cromoglycate in human plasma, radioimmunoassay **31**
and potassium, direct potentiometric determination, erythrocytes influence on **116**
Solid-phase fluoroimmunoassay, magnetisable, for direct determination of primidone in serum or plasma **227**
SOTHY SP *see* AIYATHURAI JEJ *et al*
Spectrophotometer, interfacing with a microcomputer, for EMIT assays **221**
Spectrophotometric analysers, monitoring temperature by optical methods **153**
SPENCER K *see* PRICE CP *et al*
Steroids
cortisol, oestradiol and progesterone, stability in lyophilised human serum **364**
glucuronides, automated radioimmunoassay, simple, low-cost, continuous-flow system **294**
STURGEON CM, BEYNON L, SETH J and CHISHOLM GD: Comparison of Bolton-Hunter and chloramine-T techniques for the radioiodination of prostatic acid phosphatase **112**
SUGITA O *see* YAKATA M *et al*
SYMONS RG, WILKE TJ and WELLBY ML: Studies on the accuracy of a quantitative kit radioimmunoassay for free thyroxine **280**

TAYLOR GF, DUONG T and CARTER NG: An improved gas chromatographic determination of urinary catecholamine metabolites **289**
Temperature, monitoring by optical methods, spectrophotometric analysis **153**
Thallium, urine determinations, comparison of two methods **321**
Theophylline
blood, concentration, fluoro-immuno assay technique for determination **251**
in serum, determination by high performance liquid chromatography **123**
THODE J, FOGH-ANDERSEN N, SIGGAARD-ANDERSEN M and SIGGAARD-ANDERSEN O: Donnan effect or protein interference in ionised calcium measurements? **271**
Three dimensional functions in external quality assessment, analysis **182**
Thyroid
hormone uptake test, preparation of adsorbents for **233**
stimulating hormone in dried blood spots, effect of temperature on stability **252**
filter paper blood spot radioimmunoassay, suitable for regional neonatal screening unit, development **93**
Thyroxine free
assessment in pregnancy, diagnostic value of three methods **60**
serum concentrations, accuracy of quantitative kit radioimmunoassay **280**
in subjects with high circulating levels of thyroxine-binding globulin **285**
by solid-phase chemiluminescence immunoassay **100**
TOFFALETTI J: Total, ultrafiltrable dialysable and ionised calcium measurements in randomly selected samples compared with clinical diagnoses **349**
TOMIYAMA Y *see* YAKATA M *et al*
TORRENS DJ *see* HALLORAN SP AND TORRENS DJ
TREVOR SC *see* TURNELL DC *et al*
TURNELL DC, TREVOR SC and COOPER JDH: A rapid procedure for the simultaneous estimation of the anticonvulsant drugs, ethosuximide, phenobarbitone, phenytoin, and carbamazepine in serum using high-pressure liquid chromatography **37**
TURNER ZJ *see* ROCKS BF *et al*

VADER HL *see* BIJSTER P *et al*
VARGHESE Z *see* DANDONA P *et al*
VINING RF, MCGINLEY RA, MAKSVYTIS JJ and HO KY: Salivary cortisol: a better measure of adrenal cortical function than serum cortisol **329**
VINK CLJ *see* BIJSTER P *et al*
Viral infections, glucose homeostatic mechanisms **142**

WARD, P DORRINGTON- *see* DORRINGTON-WARD P
WATHEN CG *see* ROULSTON JE *et al*
WATTS JM *see* WHITING MJ *et al*

WEBB BA, RICHARDSON SJ, GARRY R and ATKINS J: A potential systematic error in using lysivane as inhibitor in the measurement of amniotic fluid acetylcholinesterase by the Ellman method **159**
WEERASEKERA DA, KIM JB, BARNARD GJ and COLLINS WP: Measurement of serum thyroxine by solid-phase chemiluminescence immunoassay **100**
WEINKOVE C *see* MASON L and WEINKOVE C
WELLBY ML *see* SYMONS RG *et al*
WELLS TNC *see* HILL PG and WELLS TNC
WESTERHUIS LW *see* BESSEMS GJH *et al*
WESTWOOD A *see* KIRK JM *et al*
WHEELER MJ *see* DAS REG *et al*
WHICHER J *see* PRICE CP *et al*
WHITING MJ, DOWN RHL and WATTS JM: Chenodeoxycholic acid administration monitored by serum bile acid profiles: a dose-response study **336**
WHITING PH, ROSS IS and BORTHWICK LJ: *N*-Acetyl-β-D-glucosaminidase levels and the onset of diabetic microangiopathy **15**
WHITE JM *see* LESTAS AN and WHITE JM
WIDDOP B *see* BROWN SS *et al*
WILKE TJ: Diagnostic value of three methods for assessing free thyroxine in pregnancy **60**
see also SYMONS RG *et al*
WILKINSON DJ *see* BROWN K *et al*
WISE PH *see* CARTER GD *et al*
WONG HB *see* AIYATHURAI JEJ *et al*
WOODFORD FP *see* DAS REG *et al*
WOODHEAD JS *see* JOHN R *et al*
WOOD PJ *see* ANTHONY F *et al*

YAKATA M, SUGITA O, TOMIYAMA Y and ODANI S: Three families with fast bisalbuminaemia **86**
YAMAMOTO I *see* ENDO Y *et al*
YOSHITAKE S *see* ENDO Y *et al*

ZADEH J ALAGHBAND- *see* ALAGHBAND-ZADEH J
ZUYDERHOUDT FMJ, LINTHORST C, JÖRNING GGA, LADIGES NCJJ and BRUGMAN AM: Influence of liver *iso*ferritin profile on quantitative measurement of total ferritin protein in human liver, with emphasis on iron overload **80**

CONTENTS OF VOLUME 20

PART 1 JANUARY 1983

Light-scattering immunoassay of specific proteins: a review
C P Price, K Spencer, and J Whicher 1

N-Acetyl-β-D-glucosaminidase levels and the onset of diabetic microangiopathy
P H Whiting, I S Ross, and L J Borthwick 15

Infrared analysis of renal calculi: a comparison with conventional techniques
Cathryn M Corns 20

Development of a radioimmunoassay for pregnancy-associated plasma protein A and establishment of normal levels in the first trimester of pregnancy
F Anthony, G M Masson, and P J Wood 26

Radioimmunoassay of sodium cromoglycate in human plasma
K Brown, J J Gardner, W J S Lockley, J R Preston, and D J Wilkinson 31

A rapid procedure for the simultaneous estimation of the anticonvulsant drugs, ethosuximide, phenobarbitone, phenytoin, and carbamazepine in serum using high-pressure liquid chromatography
D C Turnell, Susan C Trevor, and J D H Cooper 37

Comparison of routine analytical methods in the Netherlands for seven serum constituents using pattern recognition
R T P Jansen 41

Standards versus standardised methods in enzyme assay
R T P Jansen and A P Jansen 52

Diagnostic value of three methods for assessing free thyroxine in pregnancy
T J Wilke 60

Invited referees—1982 62

Book reviews 63

PART 2 MARCH 1983

Urinary 17-oxogenic and 17-oxosteroids
B T Rudd 65

Serum iron and total iron-binding capacity determination by flow-injection analysis with atomic absorption detection
B F Rocks, R A Sherwood, Z J Turner, and C Riley 72

Insulin resistance and iron overload
P Dandona, M A M Hussain, Z Varghese, D Politis, D M Flynn, and A V Hoffbrand 77

Influence of liver *iso*ferritin profile on quantitative measurement of total ferritin protein in human liver, with emphasis on iron overload
F M J Zuyderhoudt, C Linthorst, G G A Jörning, N C J J Ladiges, and A M Brugman 80

Three families with fast bisalbuminaemia
M Yakata, O Sugita, Y Tomiyama, and S Odani 86

Genetic bisalbuminaemia occurring together with myeloma
F A Porta, P G Riches, D Richardson, J Knox, J R Hobbs, and J M Fine 90

Development of a filter paper blood spot radioimmunoassay for thyroid stimulating hormone suitable for a regional neonatal screening unit
H Moore and M McMillan 93

Measurement of serum thyroxine by solid-phase chemiluminescence immunoassay
D A Weerasekera, J B Kim, G J Barnard, and W P Collins 100

Radioenzymatic assay of catecholamines: Reversal of aluminium inhibition of enzymatic O-methylation by desferrioxamine
L Mason and C Weinkove 105

Comparison of Bolton-Hunter and chloramine-T techniques for the radioiodination of prostatic acid phosphatase
C M Sturgeon, L Beynon, J Seth, and G D Chisholm 112

Influence of erythrocytes on direct potentiometric determination of sodium and potassium
P Bijster, H L Vader, and C L J Vink 116

A simple inexpensive quality control material for Ortho ELT-8 platelet counts
A J P F Lombarts 121

A simple rapid method for determining theophylline in serum by HPLC
J Fitzpatrick and M McClelland 123
Letters to the Editor 127

PART 3 MAY 1983

An inexpensive, rapid and precise affinity chromatography method for the measurement of glycosylated haemoglobins
P M Hall, J G H Cook, and B J Gould 129
Relation between the urinary cortisol:creatinine ratio and hypoglycaemia
A E Ohwovoriole, I M Nairn, and J D Baird 136
Role of glucose homeostatic mechanisms in viral infections
J E J Aiyathurai, H B Wong, S H Quak, S P Sothy, Lee Foon Chio, E Jacob, and S Doraisingham .. 142
Assessment of the performance and clinical utility of a ward side-room bilirubinometer
R A Harkness, C R Lawrence, A Renshaw, I C Barr, S S Brown, and M G Rinsler 149
Optical methods for monitoring temperature in spectrophotometric analysers
T D O'Leary, J L Badenoch, and R Bais 153
Effect of blood transfusion on serum 'cardiac' enzyme activities
M A Lyne and E Lester 157
A potential systematic error in using lysivane as inhibitor in the measurement of amniotic fluid acetylcholinesterase by the Ellman method
B A Webb, S J Richardson, R Garry, and J Atkins 159
An enzyme-linked immunoassay for the measurement of circulating immune complexes
Y Endo, I Yamamoto, S Ohtaki, S Yoshitake, and E Ishikawa 163
Use of a recommended evaluation scheme in the assessment of a new digoxin RIA kit
I Gibb 169
Variance reduction in analytical processes in the clinical laboratory by digital filtering
R T P Jansen and P J M Bonants 174
Analysis of external quality assessment results in three dimensions
E J Karjalainen and U Karjalainen 182
Determination of blood ammonia using the Ammonia Checker
J R Huizenga and C H Gips 187
Book reviews 192

PART 4 JULY 1983

Scientific review No. 7

Aspects of the physiological and pathological background to neonatal clinical chemistry
S E Evans and G M Durbin 193
Potential applications and pitfalls of dry reagent tests: an evaluation of the Ames Seralyzer
P M S Clark and P M G Broughton 208
Use of Lucifer Yellow VS as a label in fluorescent immunoassays illustrated by the determination of albumin in serum
M P Bailey, B F Rocks, and C Riley 213
Sample collection and processing for the assay of plasma renin activity
J E Roulston, C G Wathen, B Sanger, and A L Muir 217
Effect of penicillamine on blood levels and urinary excretion of gold
I J L Goldberg, K Lawton, J R Redding, F E Francois, and J Phull 220
Interfacing a microcomputer to a spectrophotometer for EMIT assays
J Morton 221
Kinetics of the antigen: antibody reaction
I Deverill and R J Lock 224
Direct determination of primidone in serum or plasma by a magnetisable solid-phase fluoroimmunoassay
A M Sidki, F J Rowell, and J Landon 227
A simple and economical method for the preparation of adsorbents for the thyroid hormone uptake test
M A Al-Awqati, O S M Al-Oneizi, M Nasralla, D Sinlao, A K Al-Ansari, and M Hassan 233

An ELISA for pregnancy-associated plasma protein A
D R Pledger and A Belfield 236
A reappraisal of the γ-glutamylcysteine synthetase activity in haemolysates from normal erythrocytes by two different methods
A N Lestas and J M White 241
Development of radioimmunoassay for gamma-glutamyl transferase using pancreatic enzyme
M Masuike, M Ogawa, T Kitahara, A Murata, K Matsuda, and G Kosaki 247
Short reports
An appraisal of a fluoro-immuno assay technique for the determination of blood theophylline concentration
H C James, T R Gamlen, and G F Batstone 251
Effect of temperature on the stability of thyroid stimulating hormone in dried blood spots
E J Coombs, T R Gamlen, and G F Batstone 252
Book reviews 254

PART 5 SEPTEMBER 1983

The impact of ageing—present and future
D B Morgan 257
Investigation of hirsutism: testosterone is not enough
G D Carter, S M Holland, J Alaghband-Zadeh, G Rayman, P Dorrington-Ward, and P H Wise .. 262
Bromocresol purple and the measurement of albumin
P G Hill and T N C Wells 264
Donnan effect or protein interference in ionised calcium measurements?
J Thode, N Fodh-Andersen, M Siggaard-Andersen, and O Siggaard-Andersen 271
A critical evaluation of a new fluorescence immunoassay system for the measurement of serum phenytoin concentrations
S J Davis and V Marks 274
Studies on the accuracy of a quantitative kit radioimmunoassay for free thyroxine
R G Symons, T J Wilke, and M L Wellby 280
Serum free thyroxine concentrations in subjects with high circulating levels of thyroxine-binding globulin
K Ashwell, M R Hopton, and J S Harrop 285
An improved gas chromatographic determination of urinary catecholamine metabolites
G F Taylor, Thach Duong, and N G Carter 289
Development of a simple, low-cost, continuous-flow system for the automated radioimmunoassay of steroid glucuronides
G J Barnard and W P Collins 294
Preparation and evaluation of a 7-parameter intralaboratory control blood of 4-month stability
A J P F Lombarts and B Leijnse 302
A simple automated injection technique for the high-pressure liquid chromatographic determination of plasma retinol
D W Howells, I R F Brown, O G Brooke, and V Newey 308
Comparison of separation methods in the ^{125}I-radioimmunoassay of serum cortisol
S M Gray, J Seth, and G J Beckett 312
Effects of the drug Disulphine Blue on routine biochemical investigations
S P Halloran and D J Torrens 317
A comparison of two methods for the determination of thallium in urine
G J H Bessems, L W Westerhuis, and H Baadenhuijsen 321
Book reviews 327

PART 6 NOVEMBER 1983

Salivary cortisol: a better measure of adrenal cortical function than serum cortisol
R F Vining, R A McGinley, J J Maksvytis, and K Y Ho 329
Chenodeoxycholic acid administration monitored by serum bile acid profiles: a dose-response study
M J Whiting, R H L Down, J McK Watts 336

Haematological and biochemical parameters in an industrial workforce
D A Gidlow, J F Church, and B E Clayton 341
Total, ultrafiltrable, dialysable and ionised calcium measurements in randomly selected samples compared with clinical diagnoses
J Toffaletti 349
Collaborative trial of an enzyme-based assay for the determination of paracetamol in plasma
S S Brown, R S Campbell, C P Price, E Rambohul, B Widdop, H M Barbour, J G Roberts, D Burnett, T Atkinson, M D Scawen, and P M Hammond 353
Direct determination of total serum cholesterol by on-column gas-liquid chromatographic analysis without previous derivatisation compared with WHO-CDC reference method
J W I Brunnekreeft, G J M Boerma, and B Leijnse 360
Stability of four steroids in lyophilised human serum
R E Gaines Das, D H Calam, F L Mitchell, F P Woodford, M Cawood, S J Gaskell, B Joyce, M McMillan, and M J Wheeler 364
Measurement of osmolality and sodium concentration in heated-cup sweat collections for the investigation of cystic fibrosis
J M Kirk, A Adams, A Westwood, and W M McCrae 369
Human prostatic acid phosphatase: properties of the native enzyme, and the enzyme-antibody complex
R Bais, A Huxtable, and J B Edwards 374
Fenclofenac and thyroid function tests
R John, S Kadury, J S Woodhead, and M H Pritchard 381
Book reviews 383
Index to Volume 20 387